

List of Wood Species for Primers & Finish Systems

1. European wood species

Wood type	2K Intensive	EasyPrime		VivaPrime		PrimaSeal Plus	2K Invisible Protect*	Speed*	Life*
		Rolled	Troweled	Rolled	Troweled				
Maple	+	+	+	+	+	+	+	+	+
Acacia / Robinia	+	◇	-	◇	-	+	◇	◇	◇
Acacia / steam-treated Robinia	+	◇	-	◇	-	+	◇	+	◇
Birch	+	+	+	+	+	+	+	+	+
Pear tree	◇	-	-	-	-	-	-	-	-
Steam-treated beech	+	+	-	◇	-	+	◇	◇	◇
Beech	+	+	+	+	+	+	+	+	+
Oak	+	+	+	+	+	+	+	+	+
Alder	+	+	◇	+	◇	+	+	+	+
Ash	+	+	+	+	+	+	+	+	+
Spruce	+	+	+	+	+	+	+	+	+
Chestnut	+	+	◇	+	◇	+	+	+	+
Pine	+	+	-	+	-	+	+	+	+
Cherry	+	+	-	◇	-	+	◇	+	◇
Larch	+	◇	-	◇	-	+	◇	+	◇
Walnut	+	◇	-	◇	-	◇	◇	◇	◇
Olive	+	+	-	◇	-	+	◇	◇	◇
Smoked oak	+	◇	-	◇	-	◇	◇	-	◇
Red oak	+	+	+	+	+	+	+	+	+
Elm	+	+	◇	◇	◇	+	◇	◇	◇

2. Exotic wood species

Afrormosia	+	+	-	◇	-	+	◇	+	◇
Arura Vermelho	+	-	-	-	-	+	-	+	-
Bamboo	-	+	-	+	-	+	+	-	+
Steam-treated bamboo	-	+	-	◇	-	+	◇	◇	◇
Bilinga	+	+	-	◇	-	+	◇	◇	◇
Basra locus	+	+	-	◇	-	+	◇	◇	◇
Cabreuva	+	+	-	◇	-	+	◇	◇	◇
Steam-treated coigue	+	+	-	◇	-	+	◇	◇	◇
Cumaru / almendrillo	+	+	-	◇	-	+	◇	◇	◇
Curupau	+	+	-	◇	-	+	◇	◇	◇
Doussie / afzelia	+	◇	-	◇	-	+	◇	+	◇
Ebony / macassar	-	+	-	◇	-	+	◇	-	◇
Eucalyptus / spotted gum	+	+	-	◇	-	+	◇	+	◇
Eucalyptus / jarrah	+	+	-	◇	-	+	◇	+	◇
Guatambu	+	+	-	◇	-	+	◇	+	◇
Hevea	+	+	-	+	-	+	+	+	+
Incienso Colorado	+	+	-	◇	-	+	◇	+	◇
Ipe / lapacho	◇	◇	-	◇	-	◇	◇	◇	◇
Iroko / kambala	-	-	-	-	-	◇	-	-	-
Iron wood	+	+	-	◇	-	+	◇	+	◇
Jatoba / Brazilian cherry	+	◇	-	◇	-	+	◇	+	◇
Kempas	-	◇	-	◇	-	+	◇	◇	◇
Coconut	+	+	-	◇	-	+	◇	+	◇
Kotibe	+	+	-	◇	-	+	◇	+	◇
Mahogany	+	+	-	◇	-	+	◇	+	◇
Massaranduba	+	+	-	◇	-	+	◇	◇	◇
Mecrusse	+	◇	-	◇	-	+	◇	◇	◇
Merbau	+	◇	-	◇	-	+	◇	◇	◇
Muhuhu	+	-	-	-	-	+	-	-	-
Mutenye	+	+	-	◇	-	+	◇	+	◇
Padouk	+	+	-	◇	-	+	◇	+	◇
Panga Panga	+	+	-	◇	-	+	◇	+	◇
Palisander	-	+	-	◇	-	+	◇	◇	◇
Piguia Marfin	+	-	-	-	-	+	-	-	-
Pitch pine (old floors)	+	+	-	+	-	+	+	+	+
Hard pine (pitch pine new)	+	+	-	◇	-	+	◇	◇	◇
Purpleheart	+	-	-	-	-	+	-	-	-
Sucupira	+	+	-	◇	-	+	◇	+	◇
Tasmanian oak	+	+	+	+	+	+	+	+	+
Tauari	+	+	-	+	-	+	+	+	+
Teak	+	+	-	◇	-	+	◇	+	◇
Tigerwood	+	+	-	◇	-	+	◇	+	◇
Wenge	+	+	-	◇	-	+	◇	+	◇
Yvyro	+	+	-	◇	-	+	◇	+	◇
Cypress	+	+	-	◇	-	+	◇	+	◇

3. Other substrates

Multiplex	◇	-	+	◇	+	◇	◇	◇	◇
OSB plates	◇	-	+	◇	+	◇	◇	◇	◇
V100 chipboards	◇	-	+	◇	+	◇	◇	◇	◇

+ = Can be used without restrictions

◇ = Use may lead to problems.
We recommend consulting LOBA

- = Use not recommended

* Can be used in set-up without primer